

BUYERS
SAFETY

PROTECTING
PEOPLE
EVERYDAY

7513 PEBBLE DR. FORT WORTH, TX 76118 | 866.355.0901 | WWW.BUYERS SAFETY.COM

WE'VE GOT WHAT YOU'RE LOOKING FOR

PG 1. SCREEN PRINTING SERVICES

PG 2. FLAGGER TRAINING

PG 3. GLOVES

PG 5. HI-VIS WORK WEAR

PG 7. EXTREME WORK WEAR

PG 9. HEAD & FACE PROTECTION

PG 13. FALL PROTECTION

PG 15. ERGONOMICS

PG 17. FIRST AID

PG 18. RESPIRATORY PROTECTION





PROTECTING PEOPLE EVERYDAY





HAVE IT YOUR WAY.



**CUSTOMIZE PERSONAL PROTECTIVE EQUIPMENT.
ENHANCE YOUR VISIBILITY. ELEVATE YOUR BRAND.
SCREEN PRINT YOUR JACKETS, COATS, VESTS,
SHIRTS, AND PANTS TODAY!**

**LEARN.
TRAIN.
PROTECT.**



WE OFFER CERTIFIED FLAGGER TRAINING!

THIS TRAINING IS INTENDED FOR INDIVIDUALS THAT WILL PERFORM OR ARE ENGAGING IN FLAGGER DUTIES ON CONSTRUCTION/MAINTENANCE PROJECTS. THIS COURSE WILL ASSIST THEM IN BETTER UNDERSTANDING THE IMPORTANCE AND DUTIES INVOLVED WITH FLAGGING ON A PROJECT. IT WOULD BE BENEFICIAL TO THE ENTRY LEVEL EMPLOYEE AS WELL AS THE EXPERIENCED FLAGGER.

CERTIFICATION FOR THIS COURSE IS REQUIRED EVERY 3 YEARS.

UPON COMPLETION OF THIS COURSE, PARTICIPANTS WILL BE ABLE TO:

- Identify the responsibilities of a flagger
- Understand Personal Protection Equipment (PPE) requirements
- Describe the proper ways to place signs
- Describe the proper position for flagging
- Define the proper procedure for stop, slow, and proceed
- Identify the correct procedures for various flagging situations
- Describe the proper conduct in flagging

GLOVES



RADIANS // TEKTYE® A6 IMPACT WORK GLOVE

TEKTYE® 13-gauge shell with sandy foam nitrile coated palm | Free of Fiberglass or Stainless Steel TPR back of the hand protection | Meets ANSI/ISEA 105:2016 - Cut A6, Abrasion 4, Puncture 3 | ANSI/ISEA 138 - Impact Level 2

| SIZE | PART NUMBER |
|------|-------------|
| S | RWG723S |
| M | RWG723M |
| L | RWG723L |
| XL | RWG723XL |
| 2X | RWG723XXL |



RADIANS // A5 IMPACT GLOVE SANDY FOAM NITRILE PALM

13 gauge salt and pepper High Performance Polyethylene (HPPE) provides cut resistance | High visibility red sandy foam nitrile palm coating provides protection from abrasion in wet or dry conditions | Seamless cuff design provides a comfortable fit | TPR overlays provide added protection of Impact Level 2 | Tested to EN 388 standards for Abrasion Resistance, Blade Cut, Tear, and Puncture (4 5 4 4) | ANSI Cut Level A5, EN388 Cut Level 5 | ANSI/ISEA 138 Impact Level 2.

| SIZE | PART NUMBER |
|------|-------------|
| S | RWG603S |
| M | RWG603M |
| L | RWG603L |
| XL | RWG603XL |
| 2X | RWG603XXL |

KNOW YOUR PROTECTION:

WING THUMB

Provides improved comfort. Thumb is angled diagonally across the palm.

STRAIGHT THUMB

Commonly used with fabric and leather gloves. Thumb lies straight with index finger.

KEYSTONE THUMB

Provides greater comfort and additional wear. Inset thumb.

KNIT CUFF

Provides snug fit to keep debris out.

SLIP ON CUFF

Extends over wrist area; no cuff.

KNIT CUFF

Removes quickly in case of emergency; 2.5" cuff.

GAUNTLET CUFF

More protection to cover forearm; 4.5" cuff.



PYRAMEX // GRAIN LEATHER COWHIDE DRIVER GLOVE

Value grain shoulder cowhide provides abrasion and puncture resistance | Classic ergonomic keystone thumb creates great mobility | Gunn cut design provides comfortable wear | Slip-on cuff for easy on/off | Elastic back for secure fit

| SIZE | PART NUMBER |
|------|-------------|
| S | GL2001KS |
| M | GL2001KM |
| L | GL2001KL |
| XL | GL2001KXL |
| 2X | GL2001K2X |



PYRAMEX // CRINKLE LATEX GLOVE

Superior contact on dry or wet surfaces by channeling liquids away | 10 gauge polyester liner is breathable and quick drying | Contact heat protection up to 482°F/250°C | ANSI/ISEA 105 Cut A1 Abrasion 4 Puncture 3

| SIZE | PART NUMBER |
|------|-------------|
| S | GL503S |
| M | GL503M |
| L | GL503L |
| XL | GL503XL |
| 2X | GL503X2 |

PYRAMEX // CORXCCEL MICRO-FOAM NITRILE PALM GLOVE

Excellent grip on dry or wet surfaces by channeling liquids away | Nitrile dots increase durability and grip | Reinforced thumb reduces stress in high-wear area | Knit cuff creates a snug fit to keep out debris | ANSI/ISEA 105-2016 Puncture 2 Abrasion , EN388 – 4131X



| SIZE | PART NUMBER |
|------|-------------|
| S | GL601S |
| M | GL601M |
| L | GL601L |
| XL | GL601XL |
| 2X | GL6012X |
| 3X | GL6013X |

PYRAMEX // MICRO-FOAM NITRILE A4 CUT GLOVE

Touchscreen Capability | Reinforced thumb saddle | Good grip in all conditions | ANSI/ISEA 105-2016 Cut A4 Abrasion 5 Puncture 3, EN388: 2016 – 4X42D



| SIZE | PART NUMBER |
|------|-------------|
| S | GL613C-S |
| M | GL613C-M |
| L | GL613C-L |
| XL | GL613C-XL |
| 2X | GL613C-2X |
| 3X | GL613C-3X |



RADIANS // NYLON SHELL FOAM NITRILE GRIPPER GLOVE

Blended nylon/spandex shell | Foam nitrile dipped palm | Water resistant palm coating | Elastic slip-on cuff | Meets EN 388:2003 standards for abrasion, cuts, tear and puncture (4 1 3 1) | Meets ANSI/ISEA 105 Abrasion Level 6

| SIZE | PART NUMBER |
|------|-------------|
| S | RWG613S |
| M | RWG13M |
| L | RWG13L |
| XL | RWG13XL |
| 2X | RWG13XXL |
| 3X | RWG613XXXL |



RADIANS // KAMORI® CUT PROTECTION LEVEL A5 GOATSKIN WORK GLOVE

White grain goat skin driver with Kevlar® lining | Slip-on cuff design and keystone thumb provide a comfortable fit | Load weight of 2679g | Tested to EN 388 standards for Abrasion Resistance, Blade Cut, Tear, and Puncture (3 5 3 4) | ANSI/ISEA 105:2016 - Cut Level A5, Abrasion 5, Puncture 4

| SIZE | PART NUMBER |
|------|-------------|
| S | RWG52S |
| M | RWG52M |
| L | RWG52L |
| XL | RWG52XL |
| 2X | RWG52XXL |
| 3X | RWG52XXXL |

RADIANS // AXIS A4 HIGH TENACITY NYLON GLOVE

13 gauge orange knitted shell with high tenacity nylon and fiberglass provides cut resistance | Black PU palm coating provides extra grip and protection from abrasion in wet or dry conditions | Seamless cuff design provides a comfortable fit | Tested to EN 388 standards for Abrasion Resistance, Blade Cut, Tear, and Puncture (4 5 4 3) | ANSI Cut Level A4, EN388 Cut Level 5.



| SIZE | PART NUMBER |
|------|-------------|
| S | RWG557S |
| M | RWG557M |
| L | RWG557L |
| XL | RWG557XL |
| 2X | RWG557XXL |

RADIANS // TEKTYE® FDG REINFORCED THUMB A4 WORK GLOVE

Free of Fiberglass or Stainless Steel | Reinforced thumb crotch | Useful for applications requiring high abrasion resistance | ANSI/ISEA 105:2016 - Cut A4, Abrasion 5, Puncture 4



| SIZE | PART NUMBER |
|------|-------------|
| S | RWG713S |
| M | RWG713M |
| L | RWG713L |
| XL | RWG713XL |
| 2X | RWG713XXL |

CUT LEVEL 1

200 - 500 grams cutting load. Designed for applications where the risk of cuts is low.

CUT LEVEL 2

500 -1,000 grams cutting load. Designed for applications where the risk of cuts is low.

CUT LEVEL 3

1,000 -1,500 grams cutting load. Designed for applications where the risk of cuts is low/medium.

CUT LEVEL 4

1,500 -2,200 grams cutting load. Designed for applications where the risk of cuts is medium.

CUT LEVEL 5

2,200 - 3,300 grams cutting load. Designed for applications where the risk of cuts is medium/high.

CUT LEVEL 6

3,000 - 4,000 grams cutting load. Designed for applications where the risk of cuts is high.



HI-VIS WORK WEAR



KISHIGO // HIGH PERFORMANCE SURVEYORS VEST

100% Polyester mesh material | 2" wide high performance reflective material with 2.5" contrasting black | Padded neck for comfort when vest is loaded down with tools | Zipper front closure | 2 mic tabs | 7 pockets: 4 outer, 2 inner, 1 hidden back

| COLOR | SIZES | PART NUMBER |
|--------|--------|-------------|
| Lime | S - 5X | SS014 |
| Orange | S - 5X | SS015 |



PYRAMEX // CLASS 3 SAFETY VEST

Hi-vis lightweight polyester mesh material | Silver reflective material with contrasting color trim | Clear chest pocket with hook and loop closure | Zipper front closure | 2 mic tabs | 4 pockets: 4 outer

| COLOR | SIZES | PART NUMBER |
|--------|--------|-------------|
| Lime | S - 5X | RVZ3610 |
| Orange | S - 5X | RVZ3620 |



RADIANS // CLASS 3 HEAVY DUTY SURVEYOR SAFETY VEST

100% polyester mesh & 100% polyester solid twill | Silver 2" Class 2 glass bead reflective tape | 8 pockets: 4 front, 3 inner, 1 back

| COLOR | SIZES | PART NUMBER |
|-------|--------|-------------|
| Lime | S - 5X | SV592-3ZGD |



PYRAMEX // CLASS 2 MESH VEST

Hi-vis lightweight polyester mesh material | 2" silver reflective material | Zipper front closure | 2 pockets: 1 outer, 1 inner

| COLOR | SIZES | PART NUMBER |
|--------|--------|-------------|
| Lime | S - 5X | RVZ2110 |
| Orange | S - 5X | RVZ2120 |



PYRAMEX // CLASS 2 SAFETY VEST

Hi-vis lightweight polyester mesh material | 2" silver reflective material with 4" contrasting color trim | Zipper front closure | Mic tabs | 6 pockets: 4 outer, 2 inner

| COLOR | SIZES | PART NUMBER |
|--------|--------|-------------|
| Lime | S - 5X | RVZ2310 |
| Orange | S - 5X | RVZ2320 |



RADIANS // CLASS 2 HEAVY DUTY SURVEYOR VEST

100% polyester mesh & 100% polyester solid twill | Silver 2" Class 2 glass bead reflective tape | Zipper closure | 8 pockets: 4 outer, 3 inner, 1 back

| COLOR | SIZES | PART NUMBER |
|--------|--------|-------------|
| Lime | S - 5X | SV592-2ZGD |
| Orange | S - 5X | SV592-2ZOD |



RADIANS // TWO TONE SURVEYOR CLASS 2 MESH SAFETY VEST

100% Polyester mesh material | 2" silver tape reflective material | Zipper front closure | 2 mic tabs | 6 pockets: 4 outer, 2 inner

| COLOR | SIZES | PART NUMBER |
|--------|--------|-------------|
| Lime | S - 5X | SV6-2ZGM |
| Orange | S - 5X | SV6-2ZOM |



PIP // CLASS 2 SURVEYORS VEST

Breathable polyester mesh top and durable solid polyester bottom | 2" two-tone reflective tape | 9 pockets: 5 outer, 3 inner, 1 back

| COLOR | SIZES | PART NUMBER |
|--------|--------|-------------|
| Lime | S - 5X | 302-0750-LY |
| Orange | S - 5X | 302-0750-OR |



PIP // CLASS 2 MULTI POCKET SURVEYOR VEST

Breathable polyester mesh | 2" silver reflective tape | 2 mic tabs | Zipper closure | 5 pockets: 4 outer, 1 inner

| COLOR | SIZES | PART NUMBER |
|--------|--------|-------------|
| Lime | S - 5X | 302-0700-LY |
| Orange | S - 5X | 302-0700-OR |



IRONWEAR // CLASS E MESH PANTS

Two 1" Silver reflective tape over 4" Orange fabric | Elastic waist | Class E, ANSI / ISEA 107-2015

| COLOR | SIZES | PART NUMBER |
|-------|--------|-------------|
| Lime | S - 5X | 1274 |



PYRAMEX // LEG GAITERS

Hi-vis lightweight polyester solid material | 2" reflective material around top and bottom | Hook and loop closures | One size fits most

| COLOR | PART NUMBER |
|--------|-------------|
| Lime | RLG10 |
| Orange | RLG20 |



PYRAMEX // CLASS 3 LIME SHIRT

Hi-vis lightweight polyester moisture wicking t-shirt | 2" heat sealed silver reflective tape | Chest pocket | Rated UPF 30+ | 1 pocket: 1 outer

| COLOR | SIZES | PART NUMBER |
|--------|--------|-------------|
| Lime | S - 6X | RTS3410 |
| Orange | S - 6X | RTS3420 |



PYRAMEX // CLASS 3 YELLOW/BLACK BOTTOM LONG SLEEVE SHIRT

Hi-vis lightweight polyester moisture wicking long sleeve t-shirt with black bottom | 2" silver reflective material | Chest pocket | Rated UPF 30+ | 1 pocket: 1 outer

| COLOR | SIZES | PART NUMBER |
|-------|--------|-------------|
| Lime | M - 5X | RLTS3110B |



PYRAMEX // CLASS 3 HOODED SHIRT

Long sleeve moisture-wicking hoodie | Rated UPF 50+ | 2" heat-sealed silver reflective segmented striping | Cell phone pocket

| COLOR | SIZES | PART NUMBER |
|--------|--------|-------------|
| Lime | S - 5X | RLPH110 |
| Orange | S - 5X | RLPH120 |



PYRAMEX // NON-RATED HOODED SHIRT

Long sleeve moisture-wicking hoodie | Rated UPF 50+ | Cell phone pocket

| COLOR | SIZES | PART NUMBER |
|--------|--------|-------------|
| Orange | S - 5X | RLPH120NS |
| Lime | S - 5X | RLPH110NS |

HI-VIS HAS CLASS!

TYPE R

Provides daytime and nighttime visual enhancement for workers.

CLASS 1

Offers low-risk workers with good visibility. Ideal where job site is a safe distance from the road.

CLASS 2

Uses additional hi-vis material. Provides more detection and visibility for longer distances.

CLASS 3

Retro-reflective and performance material for greater visibility.

CLASS E

Only meets ANSI safety standards when paired with Class 2 or 3 garments.

EXTREME WEATHER WORK WEAR



IGLOO // COOLER

HDPE hide won't chip, peel, buckle, or rust | Ultratherm® insulation for maximum cold retention | UV stabilizers prevent fading, cracking in all exposures | White FDA Grade liner is easy to clean and resists stains and odors | Wide mouth pressure fit lid for easy filling | Keeper cord prevents lid loss

| SIZE | PART NUMBER |
|-----------|-------------|
| 5 Gallon | 451 |
| 10 Gallon | 48154 |



NIAGARA // BOTTLED WATER

24 Pack, purified drinking water, 16.9oz bottles | State of the art reverse osmosis, micron filtration and ozone Technologies

| PART NUMBER |
|-------------|
| PRCNIA05L24 |



PYRAMEX // COOLING NECK SHIELD

Evaporative cooling material keeps your head cool and blocks sun from your neck | Made from soft quilted hi-vis material for greater visibility | Fits on the suspension of a hard hat with hook and loop closures | To activate, soak in cool water for 2-5 minutes | Reusable, just reactivate | One size fits all

| SIZE | PART NUMBER |
|--------|-------------|
| Lime | CNS130 |
| Orange | CNS140 |



SQWINCHER // 20oz QWIK STIK

Helps replenish fluids and electrolytes lost during physical work, exercise, or illness, or following exposure to extreme heat to help prevent dehydration | Zero sugar, low calories | Simply add it to your water bottle, shake, and enjoy a refreshing and hydrating drink | 50/pack

| COLOR | PART NUMBER |
|----------------|---------------|
| Watermelon | 690-159060097 |
| Straw-Lemonade | 690-159060099 |
| Orange | 690-159060100 |
| Mixed Berry | 690-159060101 |
| Fruit Punch | 690-159060102 |
| Lemonade | 690-159060103 |
| Lime | 690-159060106 |
| Grape | 690-159060107 |
| Cool Citrus | 690-159060109 |



IRONWEAR // FULL BRIM SUN SHIELD

Fits only full brim hard hats | Provides shade for sides, neck and back | Polyester mesh fabric | Silver Reflective tape on orange fabric - Two Tone

| COLOR | PART NUMBER |
|--------|-------------|
| Lime | 1270-L |
| Orange | 1270-O |



PYRAMEX // COOLING TOWEL

Evaporative advanced PVA material holds water without feeling heavy | Anti-microbial treated to help prevent mold build-up and unwanted odors | To activate, simply soak in cool water | Reusable just reactivate | Machine washable

| COLOR | PART NUMBER |
|--------|-------------|
| Orange | C140 |
| Blue | C160 |



RADIANS // LIGHTWEIGHT CLASS 3 RAIN JACKET

150 Denier PU Coated Hi-Vis Oxford Material | 2" Silver Reflective Tape - One Horizontal, Two Vertical and Two Sleeve Stripes | Vented Back Cape | Cuff Wrists with Internal Elastic Tape | Detachable Hood | Hook & Loop Closure over Zipper Fly | Zipper Front Closure with Snap Closure Storm Flap | Two Lower Flap Covered Front Pockets

| SIZES | PART NUMBER |
|--------|-------------|
| M - 5X | RW10-351Y |



RADIANS // CLASS E RAIN PANTS

150 Denier PU Coated Hi-Vis Oxford Material | 2" Silver Reflective Tape - Two Horizontal Stripes on Each Leg | Slash Pockets | Adjustable Cuffs with Snaps | Elastic Waist | Double Stitched Seams

| SIZES | PART NUMBER |
|--------|-------------|
| M - 5X | RW10-ES1Y |



IRONWEAR // CLASS 3 RAIN JACKET AND PANTS COMBO

Polyester / PU rainsuit | Class 3, ANSI / ISEA 107-2015 | Jacket with tuckaway hood and waist pants | Fits over work clothes | 2" Silver reflective tape | Features black bottom, storm flap and drawstring closure on pants

| SIZES | PART NUMBER |
|--------|-------------|
| S - 5X | 9510-L |



ERGODYNE // N-FERNO FLEECE BALACLAVA

Warmth in mild to extreme conditions | Flexible to fit most heads | Full thermal head/neck coverage that tucks into jackets | Fits comfortably under a hard hat or helmet

| COLOR | PART NUMBER |
|--------|-------------|
| Black | 16821 |
| Orange | 16954 |



PYRAMEX | JACKET W/ REMOVABLE LINER

Waterproof- ANSI 107-2020: AATCC 127 | Polyester shell with zip out polar fleece liner | Elastic band at the waist and wrists | 2" silver reflective material | Concealed detachable hood | Zipper front closure | Cell phone/ radio chest pocket with clear panel on outside shell | Mic tabs and pencil pocket | 8 pockets: 5 outer, 3 inner

| COLOR | PART NUMBER |
|--------|-------------|
| Lime | PYR-RJ3110 |
| Orange | PYR-RJ3120 |



PYRAMEX // INSULATED NYLON A2 CUT GLOVES

ANSI/ISEA 105 - Cut A2, Abrasion 3, Puncture 2 | HPT coating on the palm and fingers repels water providing an effective grip in wet and oily environments while remaining soft in extremely low temperatures | 15 gauge nylon outer liner is strong yet lightweight | 7 gauge 360° inner acrylic liner delivers insulation and moisture resistance | Contact cold protection down to as low as -22°F/-30°C | Treated with Sanitized Actifresh® to control bacteria and odor | Knit cuff creates a snug fit to keep out debris

| PART NUMBER |
|-------------|
| PRCNIA05L24 |



PYRAMEX // ZIPPER SWEATSHIRT

100% polyester 280 g/m2 fleece | Weather resistant | Elastic knit at wrists and waist | 2" silver reflective material | Zipper front closure | Mesh lined hood with adjustable pull cord | 2 pockets: 2 outer

| SIZES | PART NUMBER |
|--------|-------------|
| S - 5X | RS2H32 |



PYRAMEX // INSULATE BIB OVERALLS

Weather resistant PU coated Oxford polyester with quilted interior insulation. 210T taffeta polyester lining provides warmth and comfort | 2" silver reflective material | Elastic waistband around back and adjustable suspenders | Boot zippers with storm flap | Zipper fly front | 2 tool pockets and hammer loop | EVA kneepads | 8 Pockets

| SIZES | PART NUMBER |
|--------|-------------|
| S - 5X | RWB46 |



RADIANS // LATEX COATED COLD WEATHER THERMAL GLOVES

2 ply, water resistant, 13 gauge orange high visibility nylon outer shell | 3/4 dipped micro finish black latex coating | 7 gauge acrylic terry liner | Seamless elastic slip-on cuff | Lightweight, excellent dexterity | CAUTION: This product contains Latex

| SIZES | PART NUMBER |
|--------|-------------|
| S - 2X | RWG17 |

HEAD & FACE PROTECTION



PIP // TRAVERSE™ INDUSTRIAL CLIMBING HELMET, CLASS E / TYPE II

Ultra lightweight shell made with ABS material provides superior protection | Mips® (Multi-directional Impact Protection System) is a low frictional layer designed to reduce rotational motion transferred to the head from angled impacts | EPS foam impact liner helps absorb the forces of front, side, or rear impacts | Includes a 4-point cross-over chin strap with quick release buckle that is adjustable for a safe & secure fit | Rugged non-slip adjustable SURE-LOCK wheel ratchet ensures proper suspension performance and effortless fit for all head sizes | Inner suspension includes comfortable padding for above the brow line | Meets ANSI Z89.1-2014 Type II, Class E | Meets clauses 4.2 of EN12492

| COLOR | PART NUMBER |
|-------|-----------------|
| | 280-HP1491RM-01 |
| | 280-HP1491RM-11 |
| | 280-HP1491RM-44 |
| | 280-HP1491RM-02 |
| | 280-HP1491RM-03 |
| | 280-HP1491RM-08 |



IRONWEAR // RAPTOR VENTED SAFETY HELMET / TYPE II

Features adjustable chin strap and a ratchet closure with a 4 point suspension | Meets ANSI / ISEA Z89.1 | Made from PC & ABS (Polycarbonate & acrylonitrile butadiene styrene) | Class C (Conductive) | HT (High temperature up to 140° f +/- 3.6° f) & LT (Low temperature above -22° f +/- 3.6° f)

| COLOR | PART NUMBER |
|-------|-------------|
| | 3976-B |
| | 3976-BL |
| | 3976-DG |
| | 3976-G |
| | 3976-W |
| | 3976-Y |
| | 3976-HO |
| | 3976-L |



PYRAMEX // SL SERIES CAP STYLE HARD HAT

Low-profile design | High density polyethylene materials | Rain trough | Universal accessory slots | Available with 4- and 6-point nylon suspensions – snap lock and ratchet styles | Suspensions adjust from 6½ to 8 head size | Passes for reverse orientation and low temperature | Meets Class E, G, and C

| COLOR | PART NUMBER |
|-------|-------------|
| | HP14110 |
| | HP14112 |
| | HP14130 |
| | HP14131 |
| | HP14135 |
| | HP14140 |
| | HP14141 |
| | HP14160 |
| | HP14170 |
| | HP14111 |

SO YOU NEED A HARD HAT?

TYPE 1
Designed to shield workers from objects and blows that come from above.

TYPE 2
Designed to protect against lateral blows and impacts, plus impacts to the top of the head.

CLASS G
General
Offers protection up to 2,200 volts

CLASS E
Electrical
Offers protection up to 20,000 volts

CLASS C
General
Offers protection up to 2,200 volts

CLASS C
Conductive
Not designed to provide protection against electrical conductors. They only protect workers from blows to the head.



PYRAMEX // SL SERIES FULL BRIM HARD HAT

Low-profile design | High density polyethylene materials | Rain trough | Universal accessory slots | Available with 4- and 6-point nylon suspensions – snap lock and ratchet styles | Suspensions adjust from 6½ to 8 head size | Passes for reverse orientation and low temperature | Meets Class E, G, and C

| COLOR | PART NUMBER |
|-------|-------------|
| | HP24110 |
| | HP24130 |
| | HP24131 |
| | HP24135 |
| | HP24140 |
| | HP24141 |
| | HP24160 |
| | HP24111 |



PYRAMEX // RIDGELINE® CAP STYLE HARD HAT

ABS material | Low profile design | Rear padded suspension | 4- and 6-position harness points | Replaceable sweat band | Vented pressure pad | Universal accessory slots | Passes reverse orientation | Passes high temperature | Passes low temperature | Easy to grasp knob and adjusts the suspension from 6 1/2 to 8 | Swinging hinge points

| COLOR | PART NUMBER |
|-------|-------------|
| | HP44110 |
| | HP44120 |
| | HP44130 |
| | HP44131 |
| | HP44135 |
| | HP44160 |
| | HP44141 |
| | HP44170 |



PYRAMEX // RIDGELINE® FULL BRIM HARD HAT

ABS material | Low profile design | Rear padded suspension | 4-position harness points | Replaceable sweat band | Vented pressure pad | Universal accessory slots | Passes high temperature | Passes low temperature | Easy to grasp knob and adjusts the suspension from 6 1/2 to 8 | Swinging hinge points

| COLOR | PART NUMBER |
|-------|-------------|
| | HP54110 |
| | HP54113 |
| | HP54120 |
| | HP54131 |
| | HP54135 |
| | HP54141 |
| | HP54160 |
| | HP54170 |
| | HP54130 |
| | HP54111 |



PYRAMEX // DISPOSABLE UNCORDED EARPLUGS

NRR 32dB, SNR 38dB | Expands to fit ear canal | Closed cell foam earplugs are resistant to dirt build up | Uncorded plugs 200 per box

| PART NUMBER |
|-------------|
| DP1000 |



PYRAMEX // DISPOSABLE CORDED EARPLUGS

NRR 31dB, SNR 37dB | Expands to fit ear canal | Closed cell foam earplugs are resistant to dirt build up | Corded plugs 100 per box

| PART NUMBER |
|-------------|
| DP1001 |

PYRAMEX // DISPOSABLE UNCORDED EARPLUGS

NRR 32dB, SNR 38dB | Expands to fit ear canal | Closed cell foam earplugs are resistant to dirt build up | Uncorded plugs 200 per box

| PART NUMBER |
|-------------|
| DP1200 |



PYRAMEX // DISPOSABLE CORDED EARPLUGS

NRR 32dB, SNR 38dB | Expands to fit ear canal | Closed cell foam earplugs are resistant to dirt build up | Uncorded plugs 200 per box

| PART NUMBER |
|-------------|
| DP1201 |



HEAD & FACE PROTECTION CONTINUED



PYRAMEX // PMXTREME SAFETY GLASSES

Built-in rubber nosepiece | Rubber temple tips | Ventilated, straight-back flexible temples | Includes black lanyard cord.

| COLOR | PART NUMBER |
|---------------|-------------|
| Clear Lens | SB6310SP |
| Clear AF Lens | SB6310STP |
| Smoke Lens | SB6320SP |
| Smoke AF Lens | SB6320STP |
| I/O Mirror | SB6380SP |



PYRAMEX // INTRUDER SAFETY GLASSES

Integrated nosepiece | Lightweight frameless protection

| COLOR | PART NUMBER |
|---------------|-------------|
| Clear Lens | S4110S |
| Clear AF Lens | S4110ST |
| Gray Lens | S4120S |
| Gray AF Lens | S4120ST |
| I/O Lens | S4180S |



PYRAMEX // PROVOQ® SAFETY GLASSES

Soft nosepiece | Rubber temples

| COLOR | PART NUMBER |
|---------------|-------------|
| Clear Lens | S7210S |
| Clear AF Lens | S7210ST |
| Gray Lens | S7220S |
| Gray AF Lens | S7220ST |
| I/O Lens | S7280S |



PYRAMEX // ATOKA® SAFETY GLASSES

Integrated nosepiece | Soft non-slip rubber temple tips provide non-binding fit

| COLOR | PART NUMBER |
|---------------|-------------|
| Clear Lens | S9110S |
| Clear AF Lens | S9110ST |
| Smoke Lens | S9120S |
| Smoke AF Lens | S9120ST |
| I/O Lens | S9180S |



RADIANS // CROSSFIRE XCBR PREMIUM SAFETY EYEWEAR

Vented rubber nosepiece for breathability | Dual Mold, rubber temple grips for better stability | Hard coat polycarbonate lens protects against scratches | Provides 99.9% UV protection | Complies with ANSI Z87.1 standards

| COLOR | PART NUMBER |
|---------------|-------------|
| Clear Lens | SB6310SP |
| Clear AF Lens | SB6310STP |
| Smoke Lens | SB6320SP |
| Smoke AF Lens | SB6320STP |
| I/O Lens | SB6380SP |



RADIANS // CHIEF™ OTG SAFETY EYEWEAR

Integrally molded brow guard | Can be worn over prescription glasses | Traditional looking safety glasses offering outstanding vision protection | Reinforced sideshields provide high-impact lateral protection | Meets ANSI Z87.1 + standards. | Meets Canadian safety standards

| COLOR | PART NUMBER |
|------------|-------------|
| Amber Lens | 360-A |
| Clear Lens | 360-C |
| Smoke Lens | 360-S |



RADIANS // CROSSFIRE SNIPER PREMIUM SAFETY EYEWEAR

Vented rubber nosepiece for added comfort | Lightweight, flexible temples for a comfortable fit | Hard coat polycarbonate lens protects against scratches | Provides 99.9% UV protection | Complies with ANSI Z87.1 standards

| COLOR | PART NUMBER |
|--------------------------|-------------|
| HD Copper Lens | 91116 |
| HD Brown Mirror Lens | 91117 |
| Smoke Lens/Camo Frame | 9141 |
| HD Green Lens/Camo Frame | 91721 |
| Clear Lens | 924 |
| Smoke Lens/Polarized | 9614 |



RADIANS // CUATRO™ 4-IN-1 FOAM LINED EYEWEAR

Removable head strap provides an adjustable safety goggle-like fit | Safety eye wear temples easily snap-in | Anti-Fog polycarbonate protective lens provides impact resistance and fog control | Rubber nose piece for all day comfort | Meets ANSI Z87.1+ standards

| COLOR | PART NUMBER |
|-------|-------------|
| Clear | CT1-11 |
| Gray | CT1-21 |



PYRAMEX // ALUMINUM ADAPTER

Constructed from lightweight aluminum | Fits most cap style hard hats and accommodates a variety of face shields

| TYPE | PART NUMBER |
|-----------|-------------|
| Cap Style | HHAA |
| Full Brim | HHAAW |



FALL PROTECTION



IRONWEAR // FULL BODY HARNESS WITH SHOULDER PADS, BACK SUPPORT

Meets ANSI Z359.11-2014 | 3 D-Rings | 310lb Capacity | Five adjustments on chest, shoulders and legs with added leg strap grommet adjustments

| SIZE | PART NUMBER |
|---------|-----------------|
| S/M | 2150-01-SM-MD |
| LG/XL | 2150-02-LG-XL |
| 2XL/3XL | 2150-03-2XL-3XL |



IRONWEAR // FULL BODY HARNESS WITH SHOULDER PADS, BACK SUPPORT

Meets ANSI Z359.11-2014 | Ultra light weight aluminum D-rings x 3, grommet adjustments on leg strap, quick release chest connector, and grommet adjustable belt | 420 lb. Capacity | SRL independent web connector on back, Integrated sewn-in back support system, dual tool lanyard connection points for easy access | Five adjustments on chest, shoulders and leg strap

| SIZE | PART NUMBER |
|---------|-----------------|
| S/M | 2160-01-SM-MD |
| LG/XL | 2160-02-LG-XL |
| 2XL/3XL | 2160-03-2XL-3XL |



IRONWEAR // 6' SINGLE LEG EXTERNAL ENERGY ABSORBING LANYARD

6ft Single leg external energy absorbing lanyard | Meets or exceeds, ANSI Z359.13, | OSHA 1926.502 and OSHA 1910.66 | 310 lbs capacity | Gate strength of 3,600 lbs | Features dual steel snap hooks

PART NUMBER
2310



IRONWEAR // 6' SINGLE LEG ENERGY ABSORBING LANYARD

2 Hook lanyard | Meets ANSI Z359.13 | 4.5 - 6ft stretch length | 310lb Capacity | Features dual snap hooks and single leg energy absorption

PART NUMBER
2320

IRONWEAR // LANYARD 3 HOOK PELICAN END HOOKS, MIDDLE SNAP HOOK AND SINGLE LEG ENERGY ABSORPTION

3 Hook lanyard | Meets ANSI Z359.13 | 4.5 - 6ft stretch length | 310lb Capacity | Features pelican end hooks, middle snap hook and single leg energy absorption

PART NUMBER
2340



IRONWEAR // DUAL WEBBING 6FT SRL W/ STEEL REBAR HOOK

6 ft webbing dual SRL with steel rebar hooks that are 360° rotating and have a 3600 lb gate strength | Included Ironwear 2806 twin SRL connector | Class 1, Meets ANSI Z359.14, along with ASTM F887-13, OSHA 1926 Subpart M and ANSI A10.32 | Capacity range of 130 - 310 lb | Average arresting force of 1350 lb with a maximum of 1800 lb | Maximum arresting distance of 42 in | Packaged 1 set (SET) per box, 2 sets per carton (CTN)

PART NUMBER
2406D-SRH



KSTRONG // BRUTE™ 50 FT. CABLE SRL-LE WITH SNAP HOOK

Includes installation carabiner and tagline | Robust & durable plastic casing | Swivel anchorage eye at anchorage end | Steel swivel hook at retractable end | Galvanized steel wire rope | Comes with shock absorber with cover | Meets or Exceeds ANSI Z359.14-2021 Class 2

PART NUMBER
UFS310050L



KSTRONG // 3/4" REMOVABLE BOLT ANCHOR FOR CONCRETE

Removable and reusable anchor designed to work in 20mm (3/4") drilled hole in concrete substrates | Meets or Exceeds ANSI Z359.18-2017

PART NUMBER
UFA30090

KSTRONG // BRUTE™ 80 FT. CABLE SRL-LE WITH SNAP HOOK

Includes installation carabiner and tagline | Robust & durable plastic casing | Swivel anchorage eye at anchorage end | Steel swivel hook at retractable end | Galvanized steel wire rope | Comes with shock absorber with cover | Meets or Exceeds ANSI Z359.14-2021 Class 2

PART NUMBER
UFS310080L



IRONWEAR // LANYARD 3 HOOK PELICAN END HOOKS, MIDDLE SNAP HOOK AND SINGLE LEG ENERGY ABSORPTION

20 ft. cable SRL with a steel snap hook that is 360° rotating and has a 3600 lb gate strength | Class 2, Meets ANSI A10.32, ANSI Z359.14, OSHA 1910.66 and OSHA 1926.502 | Capacity range of 130 - 310 lb | Average arresting force of 1350 lb. | Max free fall of 6 ft. | Included carabiner and tag line | Packaged 1 each (EA) per carton (CTN)

PART NUMBER
2420-SSH-LE



Don't see what you need? Call us and we can order it!



ERGONOMICS



ERGODYNE // PROFLEX 100 SPANDEX BACK SUPPORT BRACE

Moderate, adjustable support | Machine wash cold; air dry

| SIZE | PART NUMBER |
|------|-------------|
| S | 11382 |
| M | 11383 |
| L | 11384 |
| XL | 11385 |
| 2XL | 11386 |
| 3XL | 11387 |
| 4XL | 11388 |



ERGODYNE // PROFLEX 100HV SPANDEX HI-VIS BACK SUPPORT BRACE

Moderate, adjustable support | Machine wash cold; air dry

| SIZE | PART NUMBER |
|------|-------------|
| S | 11882 |
| M | 11883 |
| L | 11884 |
| XL | 11885 |
| 2XL | 11886 |
| 3XL | 11887 |
| 4XL | 11888 |

PIP // HARD PLASTIC CAP KNEE PADS

Durable lightweight pads that deliver all-day comfort | Abrasion resistant plastic knee cap for long-lasting protection | Thick foam center padding | Adjustable hook & loop closure straps ensure a secure fit

| SIZE | PART NUMBER |
|----------|-------------|
| ONE SIZE | 291-100 |



PIP // NON-MARRING KNEE PADS

Extended rubber-like TPR cap won't mar, scratch or scuff surfaces | Ergonomically designed to flex with knee movement | Slip-resistant ridges prevent sliding on floors | Adjustable hook & loop closure straps ensure a secure fit

| SIZE | PART NUMBER |
|----------|-------------|
| ONE SIZE | 291-110 |

PIP // CLEAR FLAT CAP GEL KNEE PADS

Air-injected gel pads are ideal for work on hard surfaces | Clear PVC cap features slip-resistant ridges to prevent sliding | Flat kneeling surface prevents rocking to minimize fatigue | Adjustable hook & loop closure strap ensures a secure fit

| SIZE | PART NUMBER |
|----------|-------------|
| ONE SIZE | 291-130 |





PIP // CONTRACTOR FIRST AID KIT

Plastic box is gasketed for weatherproof protection of contents | Convenient molded carry handle includes slots for wall mounting | Lightweight kit is ideal for use in the office, vehicle or on the job site | Labels have first aid instructions in English & Spanish | Meets ANSI Z308.1-2009 requirements

| SIZE | PART NUMBER |
|-------------|-------------|
| 10 - Person | 299-13285 |
| 25 - Person | 299-13290 |
| 50 - Person | 299-13293 |



RADIANS // TWO 16 OZ EYEWASH REPLACEMENT BOTTLE AID KIT

Conveniently mounts to wall | Bright green color makes it easy to locate in an emergency | Each bottle snaps into place securely but is easily removable | Bottles dated for freshness | Refills available | Includes mounting screws

| PART NUMBER |
|---------------------------------|
| REW16D |
| 1019 - 16 oz Replacement Bottle |



FIRST AID

FIRST AID ONLY // 75 PERSON 2 SHELF FIRST AID STEEL CABINET

Industrial 2 shelf first aid station | Sold as a kit with 446 pieces | OSHA compliant box has easy carry handle or is wall mountable




| PART NUMBER |
|-------------|
| 6135 |



FIRST AID ONLY // 150 PERSON 4 SHELF FIRST AID STATION

Industrial 2 shelf first aid station | Sold as a kit with 446 pieces | OSHA compliant box has easy carry handle or is wall mountable

| PART NUMBER |
|-------------|
| 6175 |



RESPIRATORY PROTECTION



PIP // DYNAMIC™ DUST MASK

Contoured design provides maximum field of vision | Adjustable metal nose band for a proper fit | Latex-free, dual elastic head straps | Disposable and maintenance-free | This mask is not a respirator, it does not meet NIOSH specifications, and it does not provide lung protection | 50 pack

PART NUMBER
270-RP1000



PIP // DYNAMIC™ STANDARD N95 DISPOSABLE RESPIRATOR

Open cell foam nose pad that creates a cushion between the nose and the mask for increased comfort | Latex Free and no common allergens | 20 pack

PART NUMBER
270-RPD513N95



PIP // DYNAMIC™ STANDARD N95 DISPOSABLE RESPIRATOR

Open cell foam nose pad that creates a cushion between the nose and the mask for increased comfort | Latex Free and no common allergens | Exhalation valve reduces heat build up near the face, improving comfort | 10 pack

PART NUMBER
270-RPD513N95

PYRAMEX // DISPOSABLE N95 RESPIRATORS

Large coverage providing a comfortable fit for the user | Maintenance-free construction and material offers low breathing resistance | Box of 20

PART NUMBER
RM10



PYRAMEX // DISPOSABLE N95 RESPIRATORS WITH VALVE

Large coverage providing a comfortable fit for the user | Maintenance-free construction and material offers low breathing resistance | Box of 10

PART NUMBER
RM10V

Don't see what you need? Call us and we can order it!